Amendment and Response to Restriction Requirement

wall to fill the defect; and but which provides

U.S. Application No.: 10/577,348 Attorney Docket No.: MPA-004

Page 2 of 6

## **AMENDMENTS TO THE CLAIMS**

	Please amend the claims as follows:
1.	(withdrawn).
2.	(withdrawn).
3.	(withdrawn).
4.	(withdrawn).
5.	(withdrawn).
6.	(withdrawn).
7.	(withdrawn).
8.	(withdrawn).
9.	(withdrawn).
10.	(withdrawn).
11.	(withdrawn).
12.	(withdrawn).
13.	(withdrawn).
14.	(withdrawn).
15.	(currently amended) A method for treating <u>a</u> hernia comprising the steps <u>of:</u>
•	exposing the hernia defect;
	providing a prosthesis comprising a portion of a truncated cone comprising a crescential
cross-	section, a first surface, and a second surface wherein the first surface forms at least one
channel, said channel being incomplete;	

introducing said prosthesis wholly in the extra peritoneal compartment of the abdominal

Amendment and Response to Restriction Requirement

U.S. Application No.: 10/577,348 Attorney Docket No.: MPA-004

Page 3 of 6

<u>providing</u> a relatively pressure free passage of an anatomical structure <del>past</del> through the prosthesis.

- 16. (currently amended) The method of claim 15 wherein the method is for treatment of inguinal-or femoral hernia.
- 17. (currently amended) The method of claim 15 wherein the prosthesis provided to fill the defect is the prosthesis of claim 1 further comprising receiving and partially enclosing the anatomical structure in said channel. [[,]] wherein at least 30% of the circumference of said anatomical structure is enclosed by said prosthesis.
- 18. (new) The method of claim 15 wherein said prosthesis is introduced in the extra peritoneal compartment of the abdominal wall.
- 19. (new) The method of claim 15 wherein the method is for treatment of femoral hernia.
- 20. (new) The method of claim 15 wherein providing a relatively pressure free passage comprises

compressing said anatomical structure less than 40-70% of its width.

21. (new) The method of claim 15 wherein providing a relatively pressure free passage comprises

compressing said anatomical structure less than 20-50% of its width.

22. (new) The method of claim 15 wherein providing a relatively pressure free passage comprises

compressing said anatomical structure less than 5-30% of its width.

23. (new) The method of claim 15 wherein providing a relatively pressure free passage comprises

compressing said anatomical structure less than 1-10% of its width.

24. (new) The method of claim 15 further comprising compressing said anatomical structure at a pressure in the range of 2 to 10 mm Hg.

Amendment and Response to Restriction Requirement

U.S. Application No.: 10/577,348 Attorney Docket No.: MPA-004

Page 4 of 6

- 25. (new) The method of claim 15 wherein said prosthesis further comprises cut-outs for a nerve or a vessel.
- 26. (new) The method of claim 15 wherein said prosthesis further comprises at least one flange.
- 27. (new) The method of claim 15 further comprising

flexing the prosthesis from a rest position to an open position to increase the wide of access to the channel for receiving the anatomical structure.

- 28. (new) The method of claim 17 wherein at least 30% of the circumference of said anatomical structure is enclosed by said prosthesis.
- 29. (new) The method of claim 26 further comprising attaching said flange to tissue.
- 30. (new) The method of claim 26 further comprising transitioning said flange between a collapsed and an extended position.
- 31. (new) The method of claim 26 further comprising extending said flange to the musculature of the inguinal canal.
- 32. (new) The method of claim 26 further comprising extending said flange inferomedially.